


MASCOT® FOOTWEAR


Feel the future | Walk with comfort | Work safely

EN









TESTED TO WORK

MASCOT® FOOTWEAR is safety footwear developed and tested together with trade professionals. It has been tested for your work day and your needs.


Our safety footwear is also laboratory-tested according to the European standard EN ISO 20345.

A SAFE WORKING DAY WITH ULTIMATE COMFORT

Safety footwear from MASCOT® FOOTWEAR is lightweight, flexible and comfortable – without compromising your safety.

Our safety shoes, boots and sandals are all approved according to the European standard EN ISO 20345. No matter what environment you work in, you will find safety footwear in our range that meets safety requirements while ensuring you ultimate comfort throughout the working day.

Read more about the standard here.



EN ISO 20345:2022






FOOTWEAR FOR EVERY INDUSTRY

MASCOT's range comprises a wide selection of safety footwear for every possible industry and every need. All the footwear is made with a unique combination of safety, comfort and design.

Look for our industry symbols to see which shoes are best suited to your profession – you will have an extensive selection to choose from so you get the right footwear for you.








I can work in these safety shoes all day long without getting tired legs. I think that’s really cool.
Thomas, carpenter and test user.

F0650-704

S1PL SR FO ESD



EU size: 36 - 48 Width 10
UK size: 3.5 - 13 Width 10
Size 42: 529 g

Mix and match your shoes with workwear from MASCOT® CUSTOMIZED.

Lightweight and flexible shoe with a very durable textile upper.

Lightweight, flexible Phylon midsole provides a high level of stability and excellent comfort.

Slip-resistant rubber outer sole ensures you always have stable footing.

Optimum fit thanks to the BOA® Fit System.


09


0688


2409


3409


5409


8509

EN ISO 20345:2022

F0651-704

S1PL SR FO ESD




09


0688


3409


8509

EU size: 36 - 40 Width 8 | 40 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 10
Size 42: 581 g

Mix & Match your safety sandals with workwear from MASCOT® CUSTOMIZED.

Lightweight and flexible shoe with a very durable textile upper.

Lightweight, flexible Phylon midsole provides a high level of stability and excellent comfort.

Slip-resistant rubber outer sole ensures you always have stable footing.

Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2022

F0300-909

S1PL SR FO ESD





09

EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6 - 13 Width 10
Size 42: 493 g

Lightweight and flexible shoe with a very durable textile upper.

Lightweight, flexible Phylon midsole provides high stability and excellent comfort.

Slip-resistant rubber outer sole ensures you always have stable footing.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2022

F0660-709

S1PL SR FO ESD





09

EU size: 36 - 48 Width 10
UK size: 3.5 - 13 Width 10
Size 42: 590 g

Lightweight and flexible shoe with a very durable textile upper.


Excellent comfort with a unique shock-absorbing midsole made of TPU and eTPU.

Slip-resistant rubber outer sole ensures you always have stable footing.

Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2022


S1PL SR FO ESD



MIX & MATCH

Mix your safety footwear with matching workwear from MASCOT® WORKWEAR. Mix & match the styles, colours and features that suit you and your work best and dress in MASCOT from head to toe.


MASCOT®



F1600-909

S1PS SR FO ESD



EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6 - 13 Width 10
Size 42: 511 g

Mix and match your shoes with workwear from MASCOT® CUSTOMIZED.

Lightweight and flexible shoe with a very durable textile upper.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.


8954


09


34


3477


010


01098


8956


0689


8922

EN ISO 20345:2022

BOA® FIT SYSTEM

Safety footwear with the BOA® Fit System ensures that the footwear always fits your feet properly and is easy to manage during a busy working day. The dial is easily turned with just one hand and releases with a light lift.

The BOA® Fit System distributes pressure across the entire foot, ensuring that the safety shoes always fit optimally around your feet.



F1601-909

S1PS SR FO ESD



EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6 - 13 Width 10
Size 42: 528 g

Mix and match your shoes with workwear from MASCOT® CUSTOMIZED.

Lightweight and flexible shoe with a very durable textile upper.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

Optimum fit thanks to the BOA® Fit System.


8954


09


3477


01098


010


0689

EN ISO 20345:2022

F1690-704

S3S SR FO ESD





09

EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6 - 13 Width 10
Size 42: 489 g

Lightweight slip-on safety shoe that's quick and easy to put on and take off.

Water-repellent, highly durable upper in a dense microfibre.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant PU outer sole ensures you always have stable footing.

Extra support around the heels ensures an optimal fit and high levels of comfort.

EN ISO 20345:2022


MASCOT


MASCOT®



CARBON PLATE TECHNOLOGY

The best technologies from running shoes integrated into your safety footwear for increased comfort throughout the work day.

Achieve a higher energy return compared to traditional safety footwear thanks to integrated Carbon Plate Technology in the midsole.

Enjoy increased stability and the feeling of a more springy stride. Discover the technology in the F1680 and F1681 safety footwear.

F1680-704

S3S SR FO ESD





09



0977



0956

EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6 - 13 Width 10
Size 42: 511 g

Water-repellent, highly durable upper in a dense microfibre.

BOA® Fit System on the side of the shoe for quick and easy adjustment.

Achieve a higher energy return compared to traditional safety footwear thanks to integrated Carbon Plate Technology in the midsole.

3D-engineered outer sole for optimal grip.

Extra support around the heels ensures an optimal fit and high levels of comfort.

EN ISO 20345:2022

F1681-704

S3S SR FO ESD





09



01022

EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6 - 13 Width 10
Size 42: 544 g

Water-repellent, highly durable upper in a dense microfibre.

BOA® Fit System on the side of the shoe for quick and easy adjustment.

Achieve a higher energy return compared to traditional safety footwear thanks to integrated Carbon Plate Technology in the midsole.

3D-engineered outer sole for optimal grip.

Extra support around the heels ensures an optimal fit and high levels of comfort.


EN ISO 20345:2022


BOA
MASCOTEX
MASCOT®

F1602-702

S7S SR FO ESD







09



54

EU size: 36 - 40 Width 8 | 40 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 10
Size 42: 610 g

Very durable and lightly lined upper with waterproof and breathable MASCOTEX® membrane, so you can perform whatever the weather.

BOA® Fit System on the side of the shoe for quick and easy adjustment.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.


Slip-resistant rubber outer sole ensures you always have stable footing.

EN ISO 20345:2022

SAFETY AND IMAGE-CREATING

Several of our models are available as shoes, boots and sandals - always with the same high quality of materials, functionality and safety.

One of the strengths is also the many colour combinations, giving you a unique opportunity to ensure a consistent corporate image from head to toe across job functions.









F1500-909

S3S SR FO SC ESD



EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 582 g

Mix & Match your safety shoes with workwear from MASCOT® ACCELERATE.

Lightweight, flexible shoe with a water-repellent and very durable upper that always lets you perform at your best.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant rubber outer sole ensures you always have stable footing.


09


01091


09202


03333

EN ISO 20345:2022

F1501-909

S3S SR FO SC ESD



EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 585 g

Mix & Match your safety shoes with workwear from MASCOT® ACCELERATE.

Lightweight, flexible shoe with a water-repellent and very durable upper that always lets you perform at your best.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant rubber outer sole ensures you always have stable footing.

Optimum fit thanks to the BOA® Fit System.


09


01091


09202


03333

EN ISO 20345:2022

MIX & MATCH




ASCOT®

F1502-909

S3S SR FO SC ESD







EU size 40 - 50 Width 10
UK size 6.5 - 15 Width 10
Size 42: 627 g

Mix & Match your safety boots with MASCOT® ACCELERATE workwear.

Lightweight, flexible shoe with a water-repellent and very durable upper that always lets you perform at your best.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant rubber outer sole ensures you always have stable footing.

Optimum fit thanks to the BOA® Fit System.


09


01091


09202


03333

EN ISO 20345:2022

F1503-909

S3S SR FO SC ESD



EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 645 g

Mix & Match your safety boots with MASCOT® ACCELERATE workwear.

Lightweight, flexible shoe with a water-repellent and very durable upper that always lets you perform at your best.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant rubber outer sole ensures you always have stable footing.


09


01091


09202


03333

EN ISO 20345:2022

F1504-909

S1PS SR FO SC ESD





09



01091

EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 586 g

Mix & Match your safety sandals with MASCOT® ACCELERATE workwear.

Lightweight, flexible safety sandal with a very durable upper that always lets you perform at your best.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant rubber outer sole ensures you always have stable footing.


Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2022

F1505-909

S1PS SR FO SC ESD







09



01091

EU size: 36 - 39 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6 Width 8 | 6.5 - 15 Width 10
Size 42: 586 g

Mix & Match your safety sandals with MASCOT® ACCELERATE workwear.

Lightweight, flexible safety sandal with a very durable upper that always lets you perform at your best.

Shock-absorbing, light and flexible EVA midsole provides extra comfort throughout the working day.

Slip-resistant rubber outer sole ensures you always have stable footing.

EN ISO 20345:2022

LADDER GRIP

If climbing ladders is a regular part of your work day, consider some of our safety shoes with ladder grips. Ladder grips under the sole ensure optimal grip on ladder steps and prevent slips.

Our safety shoes and boots with the abbreviation LG all have approved ladder grips according to the European standard EN ISO 20345:2022.





F1006-906

S3S SR FO SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 52 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 52 Width 10
Size 42: 615 g

Water-repellent, highly durable upper in a dense microfibre.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

EN ISO 20345:2022

F1007-906

S3S SR FO SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 52 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 52 Width 10
Size 42: 648 g

Water-repellent, highly durable upper in a dense microfibre.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

EN ISO 20345:2022

F0113-937

S3S SR FO LG ESD





09

EU size: 39 - 48 Width 11
UK size: 6 - 13 Width 11
Size 42: 619 g

Water-repellent, very durable upper in nubuck.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022

F0114-937

S3S SR FO LG ESD





09

EU size: 39 - 48 Width 11
UK size: 6 - 13 Width 11
Size 42: 658 g

Water-repellent, very durable upper in nubuck.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.


Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022






ESD
MASCOT®



ESD

When you wear ESD-approved safety footwear, you protect the components you handle in your work from static electricity. In some professions, it is a requirement that specific areas are ESD-proofed to protect electrical components and equipment.
All safety footwear from MASCOT is ESD-approved.

F0111-937

S3S SR FO LG ESD





09

EU size: 39 - 48 Width 11
UK size: 6 - 13 Width 11
Size 42: 599 g

Water-repellent, very durable upper in nubuck.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2011

F0110-937

S3 SRC ESD





09

EU size: 35 - 41 Width 8 | 39 - 48 Width 11
UK size: 2.5 - 7 Width 8 | 6 - 13 Width 11
Size 42: 594 g

Water-repellent, very durable upper in nubuck.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022

F0108-937

S1PS SR FO LG ESD





09

EU size: 35 - 41 Width 8 | 39 - 48 Width 11
UK size: 2.5 - 7 Width 8 | 6 - 13 Width 11
Size 42: 589 g

Breathable fabric lining and textile inserts for better airflow.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022

F0109-937

S3S SR FO LG ESD





09

EU size: 35 - 41 Width 8 | 39 - 48 Width 11
UK size: 2.5 - 7 Width 8 | 6 - 13 Width 11
Size 42: 659 g

Water-repellent, very durable upper in nubuck.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.


Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022




MASCOT®


MASCOT®



SAFETY SANDALS WITH SUPREME COMFORT

Is your safety footwear too hot to wear during the spring and summer months?

Then take a look at our safety sandals. Avoid sweaty feet with proper ventilation holes and experience the necessary protection around the toes and against sharp objects from below.

F0107-937

S1PS SR FO LG ESD





09

EU size: 35 - 41 Width 8 | 39 - 48 Width 11
UK size: 2.5 - 7 Width 8 | 6 - 13 Width 11
Size 42: 595 g

Very durable safety sandal in a breathable fabric for increased comfort around the entire foot.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

The zip can be shortened as needed.

EN ISO 20345:2022

F0100-910

S1PS SR FO LG SC ESD





09880

EU size: 35 - 41 Width 8 | 39 - 48 Width 10
UK size: 2.5 - 7 Width 8 | 6 - 13 Width 10
Size 42: 610 g

Very durable safety sandal with excellent airflow for your feet.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Extra strong TPU-reinforced scuff cap protects against abrasion when kneeling.

EN ISO 20345:2022

EXTRA DURABLE UPPER WITH TOE REINFORCEMENT

Do your safety shoes wear out quickly on the upper part of the foot? Then we recommend you look for safety footwear with toe reinforcement. This is especially relevant for those who often have to kneel at work. The toe reinforcement helps to extend the life of the shoe.

Find more of our shoes with a highly durable TPU toe reinforcement and extend the life of your next pair of safety footwear.





F0121-770

S3S SR FO LG SC ESD





09880

EU size: 35 - 41 Width 8 | 39 - 48 Width 10
UK size: 2.5 - 7 Width 8 | 6 - 13 Width 10
Size 42: 639 g

Water-repellent and breathable safety shoe with a very durable textile upper.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Extra strong TPU-reinforced scuff cap protects against abrasion when kneeling.

EN ISO 20345:2022

F0122-771

S3S SR FO LG ESD





09880

EU size: 39 - 48 Width 10
UK size: 6 - 13 Width 10
Size 42: 599 g

Water-repellent and extremely durable CORDURA®/Kevlar®/Dyneema® upper.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2022

F0141-902

S7S SR FO LG SC ESD





0901

EU size: 39 - 48 Width 10
UK size: 6 - 13 Width 10
Size 42: 749 g

Very durable safety boot in soft and flexible leather.

The MASCOTEX® membrane keeps your feet dry throughout the working day.

A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.


Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022



S7S SR FOLIG SCFSD





SELF-CLEANING OUTER SOLES

Several of MASCOT's safety shoes and boots feature outer soles with extremely high levels of slip-resistant and self-cleaning properties to give you stable footing on all surfaces.

F1000-715

S3S SR FO ESD





0909



5009



5409

EU size: 35 - 41 Width 8 | 40 - 50 Width 10
UK size: 2.5 - 7 Width 8 | 6.5 - 15 Width 10
Size 42: 680 g

Classic and timeless safety boot with excellent shock absorption.

Get a stable grip on all types of surfaces with the boot's slip-resistant and self-cleaning outer sole.

Metal-free, lightweight composite toe cap and MASCOLAYER® textile midsole.

Water and dirt-repellent upper in oiled leather.


Comfortable insole provides support and extra shock absorption and is also moisture-wicking.

EN ISO 20345:2022

F1003-715

S3S SR FO ESD





EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 799 g

Classic and timeless rigger boot with excellent shock absorption.

Get a stable grip on all types of surfaces with the boot's slip-resistant and self-cleaning outer sole.

Metal-free, lightweight composite toe cap and MASCOLAYER® textile midsole.

Water and dirt-repellent upper in oiled leather.

Comfortable insole provides support and extra shock absorption and is also moisture-wicking.




5409

EN ISO 20345:2022

METAL-FREE SAFETY FOOTWEAR WITH MASCOLAYER®

MASCOLAYER® is a textile nail protection that guarantees protection against nails and sharp objects from below.

The majority of MASCOT's safety footwear has both a MASCOLAYER® textile midsole protection and a composite toe cap, which means you can get a 100% metal-free shoe that is neither heat nor cold conductive.





F1001-715

S3S SR FO ESD





5409

EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 699 g

Classic and timeless safety boot with excellent shock absorption.

Get a stable footing on all surfaces thanks to the shoe's anti-slip and self-cleaning outer sole.

Water and dirt-repellent upper in oiled leather.

Comfortable insole provides support and extra shock absorption and is also moisture-wicking.

EN ISO 20345:2022

F1002-715

S3S SR FO ESD





5409

EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 740 g

Classic and timeless safety boot with excellent shock absorption.

Get a stable grip on all types of surfaces with the boot's slip-resistant and self-cleaning outer sole.

Water and dirt-repellent upper in oiled leather.

Comfortable insole provides support and extra shock absorption and is also moisture-wicking.

EN ISO 20345:2022





EXTREME SHOCK ABSORPTION COMBINED WITH HIGH DURABILITY

Thanks to shock-absorbing ETPU inserts in the sole, you can enjoy extreme comfort throughout the work day, protecting your feet and back from impact.
Combined with the PU outer sole, the result is safety footwear with unparalleled durability and comfort. The sole combinations are available as both safety shoes and safety boots.


MASCOT®

F0130-849

S1PS SR FO SC ESD





09888

EU size: 36 - 40 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 :| 6 - 13 Width 10
Size 42: 608 g

Lightweight and flexible shoe with a very durable textile upper.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

ETPU inserts in the sole effectively absorb shock, protecting your legs and back with every step.


A ladder grip beneath the sole ensures optimum grip on the rungs of the ladder and helps prevent slips.

EN ISO 20345:2022

F0134-902

S3S SR FO SC ESD







09

EU size: 39 - 48 Width 10
UK size: 6 - 13 Width 10
Size 42: 622 g

Durable and water-repellent safety footwear in soft and flexible leather.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

ETPU inserts in the sole effectively absorb shock, protecting your legs and back with every step.


Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022

F0137-902

S3S SR FO SC ESD







09

EU size:39 - 48 Width 10
UK size: 6 - 13 Width 10
Size 42: 619 g

Durable and water-repellent safety footwear in soft and flexible leather.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

ETPU inserts in the sole effectively absorb shock, protecting your legs and back with every step.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

Optimum fit thanks to the BOA® Fit System.

EN ISO 20345:2022

F0135-902

S3S SR FO SC ESD





09

EU size: 39 - 48 Width 10
UK size: 6 - 13 Width 10
Size 42: 672 g

Durable and water-repellent safety footwear in soft and flexible leather.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

ETPU inserts in the sole effectively absorb shock, protecting your legs and back with every step.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

EN ISO 20345:2022

F0136-902

S3S SR FO SC ESD





09

EU size: 36 - 38 Width 8 | 39 - 48 Width 10
UK size: 3.5 - 5 Width 8 | 6 - 13 Width 10
Size 42: 676 g

Durable and water-repellent safety footwear in soft and flexible leather.

Very durable, slip-resistant PU outer sole that's heat-resistant up to 140°C.

ETPU inserts in the sole effectively absorb shock, protecting your legs and back with every step.

Composite toe cap and TPU-reinforced scuff cap ensure the necessary protection and make the shoes extra durable.

Optimum fit thanks to the BOA® Fit System.


EN ISO 20345:2022

SAFE EVEN IN TOUGH AND DEMANDING ENVIRONMENTS

Do you work in extreme environments that really put the durability of your safety boots to the test?

Look for our safety boots with the abbreviation HRO, all approved with heat-resistant soles that can withstand contact heat up to 300 C° according to the European standard EN ISO 20345:2022.

The safety boots are also made of highly durable materials, so you are guaranteed full safety around the entire foot.









MASCOGRIP OUTER SOLE

MASCOGRIP is your guarantee of excellent grip, including on uneven surfaces. MASCOGRIP is an extraordinary slip-resistant outer sole with a deep cleat and is designed to be self-cleaning, so dirt and debris fall easily off the shoe and prevent you from slipping. Plus, the MASCOGRIP outer sole is extremely durable and suitable for both hot and cold environments.

F0074-902

S3S SR FO HRO ESD







0907

EU size: 39 - 48 Width 11
UK size: 6 - 13 Width 11
Size 42: 772 g

Durable and water-repellent safety footwear in soft and flexible leather.

MASCOGRIP nitrile rubber outer sole that's heat-resistant up to 300°C contact heat.

The TPU heel cap and PU scuff cap give you optimal protection and make the shoe extra durable.

Be seen – the reflective features increase your safety during your working day.

EN ISO 20345:2022

F0165-902

S3S SR FO HRO AN ESD







0907

EU size: 39 - 48 Width 11
UK size: 6 - 13 Width 11
Size 42: 754 g

Durable and water-repellent safety footwear in soft and flexible leather.

The PU ankle protection, heel cap and scuff cap give you optimal protection and make the shoe extra durable.

MASCOGRIP nitrile rubber outer sole that's heat-resistant up to 300°C contact heat.

Flame-retardant Nomex® laces.

Be seen – the reflective features increase your safety during your working day.

EN ISO 20345:2022

F1100-902

S1PS SR FO WPA SC HI HRO







09

EU size: 36 - 40 Width 8 | 40 - 50 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 10
Size 42: 750 g

Thermal insulating asphalt boot that protects your feet from extreme heat.

Extra protective flap over the BOA® Fit System.

Rubber outer sole that's heat-resistant up to 300°C contact heat.

Slip-resistant outer sole without tread pattern.

EN ISO 20345:2022

F1102-901

S3S SR FO LG SC HI M HRO ESD





09

EU size: 36 - 40 Width 8 | 40 - 50 Width 11
UK size: 3.5 - 6.5 Width 8 | 6.5 - 15 Width 11
Size 42: 766 g

Extremely durable safety boot suitable for wearing while welding.

Metatarsal guards give you extra protection and soften any impact to the foot from dropped or falling objects.

Rubber outer sole that's heat-resistant up to 300°C contact heat.

Reflective features increase your safety during your working day.

EN ISO 20345:2022

MAXIMUM PERFORMANCE AND PROTECTION

With some of the highest certifications on the market, our safety boots are designed to protect your feet in even the most demanding environments.

Features like heat-resistant soles, flame-resistant uppers and extra strong, slip resistant rubber soles make these boots the obvious choice when work demands maximum performance and safety.

Look for the boots with product numbers F1300-F1305.

EN ISO 20345:2022


MASCOTEX
ESD
MASCOT®
TPU SUPPORT STRUCTURE
EN ISO 20345:2022

F1302-902

S7S SR FO HRO HI CI SC LG ESD





09

EU size: 40 - 48 Width 11
UK size: 6.5 - 13 Width 11
Size 42: 814 g

Extremely durable safety boots for those who need to perform at their best in extreme environments.

The boot is cold and heat insulating, waterproof and breathable, so you never have to let the weather stop you.

Flame-retardant upper protects your feet from flames and sparks.

Slip resistant and heat resistant (up to 300°C contact heat) outsole with ladder grip ensures you have a good footing whether you're standing on a slippery surface or on a ladder.

BOA® Fit System on the side of the boot for quick and easy adjustments.

EN ISO 20345:2022

F1300-902

S7S SR FO HRO HI CI SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 48 Width 11
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 11
Size 42: 848 g

Extremely durable safety boots for those who need to perform at their best in extreme environments.

The boot is cold and heat insulating, waterproof and breathable, so you never have to let the weather stop you.

Flame-retardant upper protects your feet from flames and sparks.

Slip resistant and heat resistant (up to 300°C contact heat) outsole with ladder grip ensures you have a good footing whether you're standing on a slippery surface or on a ladder.

EN ISO 20345:2022


BOA
MASCOT®

F1301-902

S7S SR FO HRO HI CI SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 48 Width 11
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 11
Size 42: 860 g

Extremely durable safety boots for those who need to perform at their best in extreme environments.

The boot is cold and heat insulating, waterproof and breathable, so you never have to let the weather stop you.

Flame-retardant upper protects your feet from flames and sparks.

Slip resistant and heat resistant (up to 300°C contact heat) outsole with ladder grip ensures you have a good footing whether you're standing on a slippery surface or on a ladder.

BOA® Fit System on the side of the boot for quick and easy adjustments.

EN ISO 20345:2022

F1303-902

S7S SR FO HRO SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 10
Size 42: 822 g

Extremely durable safety boots for those who need to perform at their best in extreme environments.

The boot is waterproof and breathable, so you never have to let the weather stop you.

Flame-retardant upper protects your feet from flames and sparks.

Slip resistant and heat resistant (up to 300°C contact heat) outsole with ladder grip ensures you have a good footing whether you're standing on a slippery surface or on a ladder.

EN ISO 20345:2022

F1304-902

S7S SR FO HRO SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 10
Size 42: 824 g

Extremely durable safety boots for those who need to perform at their best in extreme environments.

The boot is waterproof and breathable, so you never have to let the weather stop you.

Flame-retardant upper protects your feet from flames and sparks.

Slip resistant and heat resistant (up to 300°C contact heat) outsole with ladder grip ensures you have a good footing whether you're standing on a slippery surface or on a ladder.

BOA® Fit System on the side of the boot for quick and easy adjustments.

EN ISO 20345:2022

F1305-902

S7S SR FO HRO SC LG ESD





09

EU size: 36 - 40 Width 8 | 40 - 48 Width 10
UK size: 3.5 - 6.5 Width 8 | 6.5 - 13 Width 10
Size 42: 769 g

Extremely durable safety boots for those who need to perform at their best in extreme environments.

The boot is waterproof and breathable, so you never have to let the weather stop you.

Flame-retardant upper protects your feet from flames and sparks.


Slip resistant and heat resistant (up to 300°C contact heat) outsole with ladder grip ensures you have a good footing whether you're standing on a slippery surface or on a ladder.

BOA® Fit System on the side of the boot for quick and easy adjustments.

EN ISO 20345:2022


UPPORT STRUCTURE
ASCOT®
EN ISO 20345:2022

NON-SAFETY SNEAKERS



F1005-906

Non-Safety Sneakers





06



09

EU size: 36 - 48
UK size: 3.5 - 13
Size 42: 270 g

Light and comfortable non-safety sneakers.

Nitrile rubber outer sole ensures excellent grip.

Shock-absorbing and ergonomically supportive insole for optimal comfort.

SAFETY CLASSES AND CERTIFICATIONS

Our safety shoes, boots and sandals are all approved according to the European standard EN ISO 20345. We always indicate which safety class and other properties our safety shoes are certified as having so you can see the exact level of protection the footwear provides you with.

EN ISO 20345:2022 is the latest version of the European standard. Get an overview of what the different safety classes and abbreviations mean here.



Safety classes	SB	S1	S1P	SIPL	S1PS	S2	S3	S3L	S3S	S4*	S5*	S5L*	S5S*	S6	S7	S7L	S7S
Approved in accordance with EN ISO 20345:2022	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Toe cap	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Slip-resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Shock-absorbing (E)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel area		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Antistatic (A)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metal nail guard 4.5 mm (P)			✓				✓				✓				✓		
Textile seam protector 4.5 mm (PL)				✓				✓				✓				✓	
Textile midsole protector 3 mm (PS)					✓				✓				✓				✓
Water-repellent and breathable (WPA)						✓	✓	✓	✓								
Outer sole with cleats							✓	✓	✓		✓	✓	✓		✓	✓	✓
Waterproof (WR)														✓	✓	✓	✓

*Class II: Fully moulded boots in PVC, PU or EVA that are waterproof.

Note: Some of our styles are certified according to the previous version, EN ISO 20345:2011. You can read about the difference between the two versions on our website.

E Shock-absorbing

A Antistatic

P Metal nail protection (Ø=4.5mm)

PL Textile nail protection (Ø=4.5mm)

PS Textile nail protection (Ø=3mm)

WPA Water repellent and breathable

WR Waterproof

FO Oil and fuel resistant sole

HRO Heat-resistant outsole compound

HI Heat insulation

CI Cold insulation

M Metatarsal protection

AN Ankle protection

CR Cut-resistant upper

C Partially conductive

LG Ladder grip

SC Scuff cap abrasion

SR Slip resistant

ESD

GET AN OVERVIEW OF ALL OUR S1 SAFETY FOOTWEAR

S1PL/S1PS

BOA® Fit System



F0650-704
S1PL SR FO ESD



F0300-909
S1PL SR FO ESD

Laces



F1600-909
S1PS SR FO ESD



F0108-937
S1PS SR FO LG ESD



F0660-709
S1PL SR FO ESD



F1601-909
S1PS SR FO ESD



F0130-849
S1PS SR FO ESD

GET AN OVERVIEW OF ALL OUR S3 SAFETY FOOTWEAR

S3/S3S

BOA® Fit System



F1680-704
S3S SR FO ESD



F0122-771
S3S SR FO LG ESD

Laces



F0113-937
S3S SR FO LG ESD



F0121-770
S3S SR FO LG SC ESD



F1006-906
S3S SR FO SC LG ESD



F1500-909
S3S SR FO SC ESD



F1690-704
S3S SR FO ESD

Slip-on



F0111-937
S3 SRC ESD



F0137-902
S3S SR FO SC ESD



F1501-909
S3S SR FO SC ESD



F0110-937
S3S SR FO LG ESD



F0134-902
S3S SR FO SC ESD



F1001-715
S3S SR FO ESD

GET AN OVERVIEW OF ALL OUR S3 SAFETY BOOTS

S3S

BOA® Fit System



F1681-704
S3S SR FO ESD



F0136-902
S3S SR FO SC ESD

Laces



F0114-937
S3S SR FO LG ESD



F0135-902
S3S SR FO SC ESD



F0165-902
S3S SR FO HRO AN ESD



F1007-906
S3S SR FO SC LG ESD

Slip-on



F1000-715
S3S SR FO ESD



F1003-715
S3S SR FO ESD



F1102-901
S3S SR FO LG SC HI M HRO ESD



F1502-909
S3S SR FO SC ESD



F0109-937
S3S SR FO LG ESD



F1002-715
S3S SR FO ESD



F0074-902
S3S SR FO HRO ESD



F1503-909
S3S SR FO SC ESD

GET AN OVERVIEW OF ALL OUR S7 SAFETY BOOTS

S7S

BOA® Fit System



F1301-902
S7S SR FO HRO HI CI SC LG ESD



F1302-902
S7S SR FO HRO HI CI SC LG ESD

Laces



F0141-902
S7S SR FO LG SC ESD



F1300-902
S7S SR FO HRO HI CI SC LG ESD



F1304-902
S7S SR FO HRO SC
LG ESD



F1305-902
S7S SR FO HRO SC
LG ESD



F1602-702
S7S SR FO ESD



F1303-902
S7S SR FO HRO SC
LG ESD

GET AN OVERVIEW OF ALL OUR S1 SAFETY SANDALS

S1PL/S1PS

Velcro



F0100-910
S1PS SR FO LG SC ESD



F0107-937
S1PS SR FO LG ESD

BOA® Fit System



F0651-704
S1PL SR FO ESD



F1504-909
S1PS SR FO SC ESD

Laces



F1505-909
S1PS SR FO SC ESD


MASCOT
MASCOT



ACCESSORIES

Your feet and safety footwear are put to the test daily by the elements and your environment. MASCOT offers a range of accessories for your footwear to ensure you get the best comfort and a long lifespan for your shoes.

FT080-980-0909

Laces

Durable laces in 100% polyester.



FT088-980-88

Waterproofing spray


300 ml

PFAS-free waterproofing spray.

Effective and long-lasting protection for all types of materials.

Innovative carbon technology with long-lasting effect against moisture and dirt.

After application, a mesh-like structure of polymer chains develops, making the footwear effectively water-repellent while maintaining breathability.



FT090-276-09

Minimum arch support – for feet with low arches (flat feet).

Breathable, thanks to the small ventilation holes.

Super shock-absorbing High Poly Tech foam across the entire sole.

Extra walking comfort with absorbent cushioning under the forefoot and heel.

ESD-approved.



FT091-276-09

Medium arch support – for feet with a regular arch.

With optimised TPU arch support that can counteract flat foot tendencies.

Breathable, thanks to the small ventilation holes.

Super shock-absorbing High Poly Tech foam across the entire sole.

Extra walking comfort with absorbent cushioning under the forefoot and heel.

ESD-approved.



FT092-276-09

Maximum arch support – for feet with high arches.

With optimised TPU arch support that can counteract flat foot tendencies.

Breathable, thanks to the small ventilation holes.

Super shock-absorbing High Poly Tech foam across the entire sole.

Extra walking comfort with absorbent cushioning under the forefoot and heel.

ESD-approved.




MASCOT® FOOTWEAR
MINIMUM ARCH SUPPORT
MEDIUM ARCH SUPPORT
MAXIMUM ARCH SUPPORT

50453-912-09



41% polyester (COOLMAX®)/29% cotton/28% polyamide/2% elastane (LYCRA®)

65 g per pair

Moisture wicking and with excellent breathability.

COOLMAX® ensures efficient moisture wicking, keeps the body dry and prevents it from getting cold.

50454-913-09



34% cotton/32% polyamide/29% polyester/3% viscose/2% elastane

70 g per pair

Very durable socks.

50455-914-09



33% wool/33% polyacrylic/32% polyamide/2% elastane

85 g per pair

Very durable socks.

Contains wool for insulation and improved comfort in cold environments.

50411-881-0918



40% cotton/32% polyester (COOLMAX®)/26% polyamide/2% elastane (LYCRA®)

62 g per pair

Light fabric.

COOLMAX® ensures efficient moisture wicking, keeps the body dry and prevents it from getting cold.

50410-881-0918



39% polyester (COOLMAX®)/35% cotton/24% polyamide/2% elastane (LYCRA®)

74 g per pair

COOLMAX® ensures efficient moisture wicking, keeps the body dry and prevents it from getting cold.

50407-875-1809



80% cotton/19% polyamide/1% elastane

61 g per pair

Light fabric.

Breathable, moisture wicking and very durable.

Terry towelling under the foot provides extra protection and durability.

50404-876-0918



34% wool/57% polyacrylic/8% polyamide/1% elastane

90 g per pair

A blend of merino wool and acrylic provides great warmth, comfort and breathability.

Made from a strong fabric that retains its shape well.

50406-877-A42



86% polyester (COOLMAX® PRO)/13% polyamide/1% elastane (LYCRA®)

95 g per pair

COOLMAX® ensures efficient moisture wicking, keeps the body dry and prevents it from getting cold.

Breathable and moisture wicking.




FEEL THE FUTURE
WALK WITH COMFORT
WORK SAFELY


MASCOT



An all-in-one solution

The world's best workwear and safety footwear are more than just the products. At MASCOT, you are guaranteed great customer service, efficient logistics and high delivery reliability.




Time-saving ordering

With MASCOT® SmartStore you avoid spending unnecessary time on clothing- and footwear orders. The logistics and ordering system makes ordering and order management easy, fast and flawless.



A global solution

Does your company have employees based in multiple countries? MASCOT makes workwear and safety footwear sourcing simpler with one global sourcing solution for your business.



High security of supply

More than 98% of all orders are dispatched from our state-of-the-art, fully automated logistics centre within 24 hours. We also use some of Europe's largest and most reliable freight carriers, ensuring that shipments reach our customers quickly.



Printing and embroidery

No matter which products you choose, adding transfer printing or embroidery could not be easier. MASCOT does it in-house, which helps keep delivery time down.



Individual adjustment


Does your company have special requests or require other individual customisations? MASCOT offers bespoke solutions so you always get the workwear that matches your needs and wishes.



Read more about our many solutions on our website www.mascotworkwear.com

A POSITIVE FOOTPRINT

At MASCOT, we work to reduce our consumption and our waste – and we do so by considering our entire supply and value chain. This holistic approach allows us to reduce consumption where it is most optimal to do so while holding back in places where taking action may hurt other parts of the value chain. It is not individual efforts that count, but the overall picture.



Suppliers and business partners

We work with all suppliers to reduce the use of chemicals and water in general. We also always select suppliers according to their environmental profile, and the vast majority of our fabrics come from suppliers who have both Bluesign® and ISO 14001 certifications.



Responsible production

We produce the vast majority of our workwear ourselves at our two SA8000-certified factories in Vietnam and Laos. The SA8000 certification is a guarantee to the outside world and our own employees that we have a safe and secure working environment and offer good working conditions adapted to local conditions.



Workwear with long-lasting durability

We produce long-lasting workwear and safety footwear with responsibility for the environment and people. Long durability means that, over time, the user needs to buy fewer products. Meanwhile we reduce our overall resource consumption because we produce fewer products over the same period of time.



Logistics with care


Our production is based in Vietnam and Laos and in our main warehouse in Denmark. The vast majority of our products are transported between Asia and Europe using modern container ships. We only work with shipping companies that are planning to convert their fleet from diesel engines to liquefied natural gas (LNG).




We invest in people and the environment in our supply chain, and we are highly conscious of the fact that we operate in an industry that has a large impact on the climate, and where we must fundamentally change the way we make our products.

Michael Grosbøl, CEO and owner of MASCOT.







Mascot International A/S

Silkeborgvej 14 · DK-7442 Engesvang · Denmark
info@mascotworkwear.com · www.mascotworkwear.com
Tel. +45 87 24 47 00

www.facebook.com/MascotWorkwear

www.linkedin.com/company/mascot-international-as

www.youtube.com/mascotinternational

www.instagram.com/mascot_workwear/

MASCOT® is a registered trademark, owned by Mascot International A/S.
No liability accepted for product alterations, price changes, printing errors and inability to supply or deliver.